

comac cube



CA Cube: compact and powerful industrial vacuum cleaners

The CA Cube range consists of three models of industrial vacuums able to offer maximum performance in minimum space. They are powerful but compact, easy to handle and to move. The wet and dry industrial vacuum cleaners from the CA Cube range stand out for offering high performance while maintaining an excellent quality - price ratio.

CA Cube 20 is equipped with a tangential motor with two-stage tapered fan to offer a high suction capacity and duration of over 1500 hours.

The coaxial turbine with induction motor installed in the CA Cube 30 and CA Cube 40 models ensures continuous service, great performance and durability.

The CA Cube range of industrial vacuum cleaners is the ideal solution for use in small spaces, both indoors and outdoors, in industrial, artisan, automotive, logistics sectors and warehouses, and large warehouses and large-scale distribution environments.

KEY FACTORS OF THE CA CUBE RANGE:

- Maximum performance in minimum space .
- Compact, easy to handle and move.
- Basic level wet and dry industrial vacuum cleaners with excellent value for money.
- The coaxial turbine with induction motor in CA Cube 30 and CA Cube 40 models ensures continuous service, with great performance and durability.
- CA Cube 20 is equipped with a tangential motor with two-stage tapered fan to offer a high suction capacity and duration of over 1500 hours.
- Ideal for use in confined spaces, both indoors and outdoors.



MODELS

CA Cube 20

Tank capacity: 77 l
Type: industrial WET&DRY
Suction: motor

CA Cube 30

Tank capacity: 77 l
Type: industrial WET&DRY
Suction: turbine

CA Cube 40

Tank capacity: 77 l
Type: industrial WET&DRY
Suction: turbine

Details that matter



FILTER SHAKER

Manual filter shaker with a practical knob positioned on the tank.

DETACHABLE TANK

To facilitate emptying and transport.



PRESSURE GAUGE

The pressure gauge indicates the saturation level of the filter to signal the need to clean it.

HANDY VACUUM CLEANERS

Large rear wheels.
Front wheels with brakes.



FLOAT

Float mechanism blocks suction when liquid in tank reaches the maximum level.

Filters available in different classes (optional):
Class L
Class M
Class H Hepa with PTFE membrane



REFERENCE SECTORS



Industrial



Cleaning
contractors



Public



Handicraft



Automotive



Large-Scale
Retailing



Logistics



Transport

Available kits and accessories for CA Cube



228784 Carwash kit - Ø40 mm

◊



225439 TOP kit - Ø40 mm

◊



400999 Hose: evaflex - Ø40 mm

◊



401008 Hose: Oregon polyurethane, antistatic, oilproof Ø40 mm

◊



427167 Hose: Oregon - heat resistant - 25 ° C up to 125 ° C - Ø40 mm

◊



412509 Hose: Steel - Ø40 mm

◊



417445 Cylindrical filter - polyester, class L

•



417435 Pre-filter nylon with non-stick surface

◊



445659 Pre-filter polycarbonate with non-stick surface

◊



405433 Cartridge filter kit - polyester, washable

◊



405436 HEPA cartridge filter - class H14

◊

Legend

• standard ◊ optional

TECHNICAL DESCRIPTION		CA Cube 20	CA Cube 30	CA Cube 40
Voltage-frequency	V-fase-Hz	230-1-50/60	230-1-50*	400-3-50*
Power	W-Hp	1500 - 2	2200 - 3	3000 - 4
Motor	n./type	1/double stage tangential bypass		-
Turbine	type	-	Coaxial induction	Coaxial induction
Water lift	mmH ₂ O/inchH ₂ O	3000/118,11	3200/125,98	3200/125,98
Airflow	m ³ /h / feet ³ /h	240/787,4	350/1148,29	350/1148,29
Tank capacity	l/gal	77/20,34	77/20,34	77/20,34
Filtration surface area	cm ² /inch ²	5000/1968,5	5000/1968,5	5000/1968,5
Noise level	dB	72	70	70
Dimensions (Lxhxw)	mm/inch	530x1300x600 20,86x51,18x23,62	530x1300x600 20,86x51,18x23,62	530x1300x600 20,86x51,18x23,62
Weight	Kg/lbs	42/92,59	65/143,3	68/17,63

*other voltages available on request



COMAC S.p.A. Via Maestri del Lavoro, 13 - 37059 Santa Maria di Zevio - Verona - ITALY
Tel. 045 8774222 - www.comac.it - com@comac.it

Comac S.p.A. org. cert. ISO 9001:2015, ISO 14001:2015, ISO 45001:2018, SA 8000:2014

