EN

cx-vactor



professional people

CA X-Vactor: industrial vacuum cleaners for intensive dust management

CA X-Vactor is a range of industrial vacuum cleaners suitable for intensive dust management. These vacuum cleaners have been designed to to remove large amounts of dust quickly and efficiently.
All aspects of shape and function of the CA X-Vactor range have been designed to provide effective and reliable dust suction in order to maximize efficiency and minimize downtimes. These vacuum cleaners are essential in maintaing work sites and environments clean, safe and dust-free.

The vacuum cleaners of the CA X-Vactor range are perfect for construction sites and for use in combination with floor treatment equipment in industrial, healthcare, artisan, automotive, transport and logistics sectors.

KEY FACTORS OF THE CA X-VACTOR:

- Industrial vacuum cleaners for dust management.
- New reverse flow mechanism for the X-Vactor range which allows to effectively clean the filter: the air flow of the motor is channeled through the filter to blow out the dust from the filter surface and restore suction and filtration efficiency.
- Designed to be light and handy, but also robust and resistant.
- Perfect for use on construction sites, to remove dust and promote a cleaner and healthier work environment.



MODELS

CA X-Vactor
Capacity: single bag
Type: industrial
Suction: motors

Details that matter



REMOTE CONTROL OF MANUAL TOOLS
With **CA X-Vactor Cyclone Dry** it is possible to connect manual tools to remove dust directly from the source. The vacuum function is automatically activated and disactivated through the tool.

REVERSE FLOW TO CLEAN THE FILTER
Filters available in different classes (optional):
Class L
Class M
Class H Hepa with PTFE membrane






TANGENTIAL VACUUM INLET
Creates a vortex of the incoming dust helping to keep the filter clean. In addition, it is equipped with a vacuum inlet seal to prevent dispersing dust into the environment.

CONVENIENT AND SAFE
Waste collection system in a plastic bab which can be sealed externally and discarded.





DOUBLE WALLED TANK
CA X-Vactor Cyclone Dry is equipped with a double-walled tank: the dust comes in between two wall layers creating a cyclone which helps to keep the filter cleaner.
In addition, it is equipped with a cartridge filter with a large filtration surface area.

ROBUST VACUUM CLEANERS
Robust wheels and all-steel chassis for easy transport over rough terrain.



REFERENCE SECTORS

Industrial
Cleaning contractors
Health
Handicraft
Automotive
Logistics
Transport

Available kits and accessories for CA X-Vactor



400999 Hose: evaflex - Ø40 mm
◊



401008 Hose: Oregon - polyurethane, antistatic, oilproof - Ø40 mm
◊



417435 Pre-filter nylon with non-stick surface
◊



445659 Pre-filter polycarbonate with non-stick surface
◊

Legend

• *standard* ◊ *optional*

TECHNICAL DESCRIPTION		CA X-Vactor Cyclone Dry
Voltage-frequency	V-fase-Hz	230-1-50/60*
Power	W-Hp	1200
Motor	n./type	1/double stage bypass
Water lift	mmH_2O/inchH_2O	2500/98,42
Airflow	l/s / gal/s	210/55,47
Type of collection	-	single bag
Filtration surface area	cm^2/$inch^2$	1000/393,7
Noise level	dB	70
Dimensions (Lxhxw)	mm/inch	540x600x1120/21,25x23,62x44
Weight	Kg/lbs	20/44

**other voltages available on request*

professional people

COMAC S.p.A. Via Maestri del Lavoro, 13 - 37059 Santa Maria di Zevio - Verona - ITALY
Tel. 045 8774222 - www.comac.it - com@comac.it

Comac S.p.A. org. cert. ISO 9001:2015, ISO 14001:2015, ISO 45001:2018, SA 8000:2014

COMAC Spa reserves the right, at anytime, to make technical and/or equipment modifications without prior notification. The images are shown as reference only and are not binding as to the actual design and/or equipment. - COD. 302825 - AA - 04/21 - Copyright © COMAC 2021